

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6760748").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 08:03
L2	2	L1 and ((self or user or person or student or client or subject) with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 08:35
L8	1	L1 and (warn\$4 or count\$5 or limit or threshold\$4 or number\$4 or value or amount or alert\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 09:09
L9	8	macro.ab. and creation.ab. and recording.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 09:14
L10	2	("5437048").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 09:10
L11	2	("5437048").URPN.	USPAT	OR	ON	2005/06/30 09:11
L12	321	events.ab. and monitoring.ab. and comparing.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 09:14
L13	1	L12 and abstract.ab. and hook.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 10:05
L14	2	("5432948").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 09:16
L15	24	("5432948").URPN.	USPAT	OR	ON	2005/06/30 09:17
L16	0	AIMSOFT.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 10:05

L17	189	AIM.AS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 10:05
L18	0	L17 and keystroke	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 10:06
L19	4	L17 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 10:06
L20	41	Universal.ab. and macro.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 10:08
L21	119	AIM near2 Keys	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 10:11
L22	1	(AIM near2 Keys) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 10:10
L23	25	(AIM near2 Keys) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 10:15
L24	157	macro near2 exchang\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 10:16
L25	105	L24 and @ad<"20010721"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 10:16
L26	6	L25 and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 10:17

S19 2	60367	user.ab. and interface.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 14:27
S19 3	1098	S192 and S190	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 14:27
S19 4	0	S193 and 705/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 14:27
S19 5	126	S193 and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:39
S19 6	2	("6438545").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/26 10:43
S19 7	36245	learn\$5 and (hint\$5 or suggest\$5 or recommend\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:39
S19 8	67127	user.ab. and interface.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:39
S19 9	1224	S198 and S197	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:39
S20 0	140	S199 and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:39
S20 1	2	("6438545").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 08:39

S20 2	0	S201 and S200	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:39
S20 3	194206	user with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:39
S20 4	629	S203 and 707/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:39
S20 5	89	S204 and S197	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:54
S20 6	1	S201 and S205	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:39
S20 7	8647	user with command with (track\$5 or log\$5 or record\$%)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:54
S20 8	1126	(Machine with learn\$.)ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:56
S20 9	11	S207 and S208	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:55
S21 0	119	(Machine with learn\$) and S207	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:01
S21 1	56	S210 and @ad<"20010728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:00

S21 2	1959	713/201.ccls. and @ad<"20010728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:00
S21 3	8	(Machine with learn\$) and S212	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:04
S21 4	29	(computer with learn\$) and S212	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 13:15
S21 5	1959	713/201.ccls. and @ad<"20010728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 13:15
S21 6	16	(computer with optimiz\$) and S215	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 13:16
S21 7	3	computer\$ with teach\$5 with wizard\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 13:17
S21 8	29414	user with profil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 13:17
S21 9	27477	(learn\$5 or optimiz\$5) with (computer or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 13:18
S22 0	1176	S218 and S219	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 13:18
S22 1	439	S220 and @ad<"20000728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 13:30

S22 2	273	S221 and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 13:19
S22 3	174990	(record\$5 or log\$5 or track\$5) with (command\$5 or task\$5 or instruct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 13:19
S22 4	139	S222 and S223	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 13:20
S22 5	634485	(count\$5 or track\$5 or frequency or time) with (command or application or task or instruction or executable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 13:21
S22 6	126	S224 and S225	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 13:28
S22 7	0	("6760748").URPN.	USPAT	OR	ON	2005/06/28 13:26
S22 9	261	((computer or PC or CPU) with (wizard or train\$5 or teach\$5) with (utiliz\$6 or use or using)) and (user with profil\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 13:30
S23 0	90	S229 and @ad<"20000728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 12:46
S23 1	10	("6411796").URPN.	USPAT	OR	ON	2005/06/28 13:32
S23 2	1076558	(operat\$5 or command\$4 or task\$5 or execut\$5 or applicat\$5 or program\$5) with (monitor\$5 or log\$5 or record\$5 or track\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 06:44
S23 3	168580	server with (CPU or processor or network\$4 or LAN or WAN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 06:43

S23 4	203072	(field or input or paramater or format or select) with S232	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 06:45
S23 5	27808	(count\$5 or frequency or number\$4) with S234	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 06:46
S23 6	6957	(limit or threshold or determin\$4 or predetermin\$4 or value) with S235	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 06:47
S23 7	584	S236 with (user or client or subject or person or employee)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 06:48
S23 8	139	S237 and S233	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 06:48
S23 9	75	S238 and @ad<"20010728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 07:35
S24 0	1487	automatic\$ with macro	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 07:59
S24 1	11496	automatic\$ with profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 08:00
S24 2	1004	S240 and @ad<"20010728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 08:46
S24 3	116	server and network\$3 and (log\$4 or record) and S242	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 11:34

S24 4	1	("6634019").URPN.	USPAT	OR	ON	2005/06/29 08:33
S24 5	1969	portable near4 office	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 08:34
S24 6	1401	portable near3 office	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 08:34
S24 7	911	portable near2 office	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 08:34
S24 8	0	S247 and S240	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 08:34
S24 9	7	S247 and S241	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 08:37
S25 0	33	"5805167"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 08:43
S25 1	4652	shar\$4 near3 (macro or profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 08:44
S25 2	0	S251 and S240 and S241	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 08:44
S25 3	29	S251 and S240	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 08:45

S25 4	183	S251 and S241	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 08:44
S25 5	119	(S254 or S253) and server and network\$4 and (log\$4 or record\$5 or register\$4 or registra\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 08:46
S25 6	54	S255 and @ad<"20010728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 08:46
S25 7	2	("6760748").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/29 11:43
S25 8	261	((computer or PC or CPU) with (wizard or train\$5 or teach\$5) with (utiliz\$6 or use or using)) and (user with profil\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 12:47
S25 9	90	S258 and @ad<"20000728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 12:46
S26 0	90	S259	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 12:46
S26 1	2	("6760748").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/29 12:47
S26 2	1	S261 and S260	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 12:48
S26 3	82	Independent near2 Computing near2 Architecture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 12:49

S26 4	36	S263 and @ad<"20010728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 13:14
S26 5	2	("6654784").URPN.	USPAT	OR	ON	2005/06/29 13:08
S26 6	3	("6263363").URPN.	USPAT	OR	ON	2005/06/29 13:09
S26 7	101	Citrix and ICA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 07:02
S26 8	56	S267 and @ad<"20010728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 07:01
S26 9	27	("5826027").URPN.	USPAT	OR	ON	2005/06/29 13:15
S27 0	1	"09/905,285"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 07:00
S27 1	11	(Citrix and ICA) same (customiz\$4 or personal\$5 or individual\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 07:14
S27 2	4	(Citrix and ICA) same (learn\$4 or teach\$5 or instruct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 07:04
S27 3	49	(Citrix and ICA) and (thin with client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 07:04
S27 4	13	S273 and profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 07:05
S27 5	2	("6760748").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 08:02

S27 6	1	S275 and (record\$5 or copy\$5 or track\$5 or log\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 07:10
S27 7	92	WinFrame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 07:10
S27 8	77	S277 and @ad<"20010721"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 07:32
S27 9	1	WinFrame.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 07:13
S28 0	7385	Shah.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 07:13
S28 1	121	Citrix.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 07:27
S28 2	30	S281 and (learn\$5 or adjust\$5 or teach\$5 or instruct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 07:28
S28 3	96	S281 and @ad<"20010721"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 07:35
S28 4	159676	(teach\$4 or instruct\$5 or guid\$4 or wizard\$4 or help\$4 or hint\$4) with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 07:36
S28 5	211644	(teach\$4 or instruct\$5 or guid\$4 or wizard\$4 or help\$4 or hint\$4) with (user or client or student or person)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 07:37

S28 6	20	S285 and S281	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 07:40
S28 7	116	S285 and (S277 or (Citrix and ICA) or S281)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 07:40
S28 8	71	S287 and (limit or threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 07:41

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	"Programming repetitive tasks by example"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 11:14
L3	18	"Programming repetitive tasks"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 11:14
L4	16	L3 and Eager	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 11:22
L5	6	L4 and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 11:47
L6	4	((("5754858") or ("6002850")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 11:55
L7	49	"5754858" "6002850"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 11:47
L8	34	L7 and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 11:53
L9	0	HyperCard and anticipation and repetitive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 12:01
L10	0	HyperCard.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 11:54

L11	47	HyperCard and repetitive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 11:54
L12	5	L11 and ("719"/\$.ccls. or "717"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 11:55
L13	7	("5734871").URPN.	USPAT	OR	ON	2005/06/30 11:58
L14	2	HyperCard and anticipation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 12:02
L16	270	Cypher.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 12:04
L17	4	Cypher-Allen.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 12:04
L18	40	("5566295").URPN.	USPAT	OR	ON	2005/06/30 12:05